

Neural networks

Training neural networks - backpropagation algorithm

MACHINE LEARNING

Topics: stochastic gradient descent (SGD)

- Algorithm that performs updates after each example
 - ▶ initialize $\boldsymbol{\theta}$ ($\boldsymbol{\theta} \equiv \{\mathbf{W}^{(1)}, \mathbf{b}^{(1)}, \dots, \mathbf{W}^{(L+1)}, \mathbf{b}^{(L+1)}\}$)
 - ▶ for N iterations
 - for each training example $(\mathbf{x}^{(t)}, y^{(t)})$

$$\left. \begin{array}{l} \checkmark \Delta = -\nabla_{\boldsymbol{\theta}} l(f(\mathbf{x}^{(t)}; \boldsymbol{\theta}), y^{(t)}) - \lambda \nabla_{\boldsymbol{\theta}} \Omega(\boldsymbol{\theta}) \\ \checkmark \boldsymbol{\theta} \leftarrow \boldsymbol{\theta} + \alpha \Delta \end{array} \right\} \begin{array}{l} \text{training epoch} \\ = \\ \text{iteration over } \mathbf{all} \text{ examples} \end{array}$$
- To apply this algorithm to neural network training, we need
 - ▶ the loss function $l(\mathbf{f}(\mathbf{x}^{(t)}; \boldsymbol{\theta}), y^{(t)})$
 - ▶ a procedure to compute the parameter gradients $\nabla_{\boldsymbol{\theta}} l(\mathbf{f}(\mathbf{x}^{(t)}; \boldsymbol{\theta}), y^{(t)})$
 - ▶ the regularizer $\Omega(\boldsymbol{\theta})$ (and the gradient $\nabla_{\boldsymbol{\theta}} \Omega(\boldsymbol{\theta})$)
 - ▶ initialization method

BACKPROPAGATION

Topics: backpropagation algorithm

- This assumes a forward propagation has been made before

- ▶ compute output gradient (before activation)

$$\nabla_{\mathbf{a}^{(L+1)}(\mathbf{x})} - \log f(\mathbf{x})_y \Leftarrow -(\mathbf{e}(y) - \mathbf{f}(\mathbf{x}))$$

- ▶ for k from $L+1$ to 1

- compute gradients of hidden layer parameter

$$\nabla_{\mathbf{W}^{(k)}} - \log f(\mathbf{x})_y \Leftarrow (\nabla_{\mathbf{a}^{(k)}(\mathbf{x})} - \log f(\mathbf{x})_y) \mathbf{h}^{(k-1)}(\mathbf{x})^\top$$

$$\nabla_{\mathbf{b}^{(k)}} - \log f(\mathbf{x})_y \Leftarrow \nabla_{\mathbf{a}^{(k)}(\mathbf{x})} - \log f(\mathbf{x})_y$$

- compute gradient of hidden layer below

$$\nabla_{\mathbf{h}^{(k-1)}(\mathbf{x})} - \log f(\mathbf{x})_y \Leftarrow \mathbf{W}^{(k)\top} (\nabla_{\mathbf{a}^{(k)}(\mathbf{x})} - \log f(\mathbf{x})_y)$$


- compute gradient of hidden layer below (before activation)

$$\nabla_{\mathbf{a}^{(k-1)}(\mathbf{x})} - \log f(\mathbf{x})_y \Leftarrow (\nabla_{\mathbf{h}^{(k-1)}(\mathbf{x})} - \log f(\mathbf{x})_y) \odot [\dots, g'(a^{(k-1)}(\mathbf{x})_j), \dots]$$

FLOW GRAPH

Topics: flow graph


- Forward propagation can be represented as an acyclic flow graph
- It's a nice way of implementing forward propagation in a modular way
 - ▶ each box could be an object with an fprop method, that computes the value of the box given its children
 - ▶ calling the fprop method of each box in the right order yield forward propagation



FLOW GRAPH

Topics: automatic differentiation


- Each object also has a bprop method
 - it computes the gradient of the loss with respect to each children
 - fprop depends on the fprop of a box's children, while bprop depends the bprop of a box's parents
- By calling bprop in the reverse order, we get backpropagation
 - only need to reach the parameters



FLOW GRAPH

Topics: automatic differentiation


- Each object also has a bprop method
 - it computes the gradient of the loss with respect to each children
 - fprop depends on the fprop of a box's children, while bprop depends the bprop of a box's parents
- By calling bprop in the reverse order, we get backpropagation
 - only need to reach the parameters



FLOW GRAPH

Topics: automatic differentiation


- Each object also has a bprop method
 - it computes the gradient of the loss with respect to each children
 - fprop depends on the fprop of a box's children, while bprop depends the bprop of a box's parents
- By calling bprop in the reverse order, we get backpropagation
 - only need to reach the parameters



FLOW GRAPH

Topics: automatic differentiation


- Each object also has a bprop method
 - it computes the gradient of the loss with respect to each children
 - fprop depends on the fprop of a box's children, while bprop depends the bprop of a box's parents
- By calling bprop in the reverse order, we get backpropagation
 - only need to reach the parameters



FLOW GRAPH

Topics: automatic differentiation


- Each object also has a bprop method
 - it computes the gradient of the loss with respect to each children
 - fprop depends on the fprop of a box's children, while bprop depends the bprop of a box's parents
- By calling bprop in the reverse order, we get backpropagation
 - only need to reach the parameters



FLOW GRAPH

Topics: automatic differentiation


- Each object also has a bprop method
 - it computes the gradient of the loss with respect to each children
 - fprop depends on the fprop of a box's children, while bprop depends the bprop of a box's parents
- By calling bprop in the reverse order, we get backpropagation
 - only need to reach the parameters



FLOW GRAPH

Topics: automatic differentiation


- Each object also has a bprop method
 - it computes the gradient of the loss with respect to each children
 - fprop depends on the fprop of a box's children, while bprop depends the bprop of a box's parents
- By calling bprop in the reverse order, we get backpropagation
 - only need to reach the parameters



FLOW GRAPH

Topics: automatic differentiation


- Each object also has a bprop method
 - it computes the gradient of the loss with respect to each children
 - fprop depends on the fprop of a box's children, while bprop depends the bprop of a box's parents
- By calling bprop in the reverse order, we get backpropagation
 - only need to reach the parameters



FLOW GRAPH

Topics: automatic differentiation

- Each object also has a bprop method
 - it computes the gradient of the loss with respect to each children
 - fprop depends on the fprop of a box's children, while bprop depends the bprop of a box's parents
- By calling bprop in the reverse order, we get backpropagation
 - only need to reach the parameters



GRADIENT CHECKING

Topics: finite difference approximation

- To debug your implementation of fprop/bprop, you can compare with a finite-difference approximation of the gradient

$$\frac{\partial f(x)}{\partial x} \approx \frac{f(x+\epsilon) - f(x-\epsilon)}{2\epsilon}$$

- $f(x)$ would be the loss
- x would be a parameter
- $f(x + \epsilon)$ would be the loss if you add ϵ to the parameter
- $f(x - \epsilon)$ would be the loss if you subtract ϵ to the parameter